JOURNAL OF PALEONTOLOGY
INDEX TO VOLUME 54

AUTHOR INDEX

		No.	Page
1.	ALVAREZ, F., C. BRIME and C. H. C. BRUNTON, The authorship of the family Athyrididae (Brachiopoda) (taxonomic note)	5	1134
2.	ARCHBOLD, N. W., *Mingenewia* n. gen. (Strophalosiidina, Brachiopoda) from the western Australian Permian	1	253
3.	AUSICH, W. I., A model for niche differentiation in Lower Mississippian crinoid communities	2	273
4.	BARDACK, D., and S. TELLER-MARSHALL, *Tselfatia,* a Tethyan Cretaceous teleost: first records from North America and Yugoslavia	5	1075
5.	BARRIER, J., A revision of the stratigraphic distribution of some Cretaceous coccoliths in Texas	2	289
6.	BARRY, J. C., Occurrence of a hyaenodontine creodont (Mammalia) in the late Miocene of Pakistan (paleontological note)	5	1128
7.	BASKIN, J. A., The generic status of *Aelurodon* and *Epicyon* (Carnivora, Canidae) (paleontological note)	6	1349
8.	BEIKIRCH, D. W., and R. M. FELDMANN, Decapod crustaceans from the Pflugerville Member, Austin Formation (Late Cretaceous: Campanian) of Texas	2	309
9.	BENJAMINI, C., Planktonic foraminiferal biostratigraphy of the Avedat Group (Eocene) in the northern Negev, Israel	2	325
10.	BERGSTRÖM, S. M., and M. C. HANSEN, The stratigraphic origin of the conodont "*Elictognathus*" *acuminatus* (St. John and Worthen, 1875) (paleontological note)	5	1123
	BERNOR, R. L., see WOODBURNE, M. O. (144)		
11.	BEUS, S. S., Devonian serpulid bioherms in Arizona (paleontological note)	5	1125
12.	BOTTJER, D. J., Branching morphology of the reef coral *Acropora cervicornis* in different hydraulic regimes	5	1102
13.	BOTTJER, D. J., and J. G. CARTER, Functional and phylogenetic significance of projecting periostracal structures in the Bivalvia (Mollusca)	1	200
14.	BOUCOT, A. J., P. E. ISAACSON and G. LAUBACHER, An Early Devonian, Eastern Americas Realm faunule from the coast of southern Peru	2	359
15.	BOUCOT, A. J., and D. RUMBLE, III, Regionally metamorphosed (high sillimanite zone, granulite facies) Early Devonian brachiopods from the Littleton Formation of New Hampshire	1	188
16.	BRETT, C. E., *Paracolocrinus,* a new inadunate crinoid genus from the Rochester Shale (Silurian, Wenlockian) of New York	5	913
	BRIME, C., see ALVAREZ, F. (1)		
17.	BROADHEAD, T. W., and H. L. STRIMPLE, *Hyrtanecrinus,* a new Carboniferous camerate crinoid genus from eastern North America	1	35
18.	BROUWERS, E. M., and J. E. HAZEL, *Eucythere sohli,* a new name for *Eucythere alexanderi* Brouwers and Hazel, 1978 (paleontological note)	6	1352
	BRUNTON, C. H. C., see ALVAREZ, F. (1)		
19.	BUDAI, A., W. R. RIEDEL and M. J. WESTBERG, A general-purpose paleontologic information device (paleontological note)	1	259
20.	BURCKLE, L. H., J. R. DODD and R. J. STANTON, JR., Diatom biostratigraphy and its relationship to paleomagnetic stratigraphy and molluscan distribution in the Neogene Centerville Beach section, California	4	664
	CAMACHO, H. H., see ZINSMEISTER, W. J. (148)		
	CAMPBELL, G. T., see JOHNSON, M. E. (62)		
21.	CAREW, J. L., A new Pennsylvanian pseudozygopleurid gastropod from Texas	6	1209
22.	CARPENTER, K., and D. LINDSEY, The dentary of *Brachychampsa montana* Gilmore (Alligatorinae; Crocodylidae), a Late Cretaceous turtle-eating alligator	6	1213
	CARTER, J. G., see BOTTJER, D. J. (13)		
	CHAMBERLAIN, C. K., see HAHN, G. (47)		

JOURNAL OF PALEONTOLOGY
INDEX TO VOLUME 54

AUTHOR INDEX

		No.	Page
1.	ALVAREZ, F., C. BRIME and C. H. C. BRUNTON, The authorship of the family Athyrididae (Brachiopoda) (taxonomic note)	5	1134
2.	ARCHBOLD, N. W., *Mingenewia* n. gen. (Strophalosiidina, Brachiopoda) from the western Australian Permian	1	253
3.	AUSICH, W. I., A model for niche differentiation in Lower Mississippian crinoid communities	2	273
4.	BARDACK, D., and S. TELLER-MARSHALL, *Tselfatia,* a Tethyan Cretaceous teleost: first records from North America and Yugoslavia	5	1075
5.	BARRIER, J., A revision of the stratigraphic distribution of some Cretaceous coccoliths in Texas	2	289
6.	BARRY, J. C., Occurrence of a hyaenodontine creodont (Mammalia) in the late Miocene of Pakistan (paleontological note)	5	1128
7.	BASKIN, J. A., The generic status of *Aelurodon* and *Epicyon* (Carnivora, Canidae) (paleontological note)	6	1349
8.	BEIKIRCH, D. W., and R. M. FELDMANN, Decapod crustaceans from the Pflugerville Member, Austin Formation (Late Cretaceous: Campanian) of Texas	2	309
9.	BENJAMINI, C., Planktonic foraminiferal biostratigraphy of the Avedat Group (Eocene) in the northern Negev, Israel	2	325
10.	BERGSTRÖM, S. M., and M. C. HANSEN, The stratigraphic origin of the conodont "*Elictognathus*" *acuminatus* (St. John and Worthen, 1875) (paleontological note)	5	1123
	BERNOR, R. L., see WOODBURNE, M. O. (144)		
11.	BEUS, S. S., Devonian serpulid bioherms in Arizona (paleontological note)	5	1125
12.	BOTTJER, D. J., Branching morphology of the reef coral *Acropora cervicornis* in different hydraulic regimes	5	1102
13.	BOTTJER, D. J., and J. G. CARTER, Functional and phylogenetic significance of projecting periostracal structures in the Bivalvia (Mollusca)	1	200
14.	BOUCOT, A. J., P. E. ISAACSON and G. LAUBACHER, An Early Devonian, Eastern Americas Realm faunule from the coast of southern Peru	2	359
15.	BOUCOT, A. J., and D. RUMBLE, III, Regionally metamorphosed (high sillimanite zone, granulite facies) Early Devonian brachiopods from the Littleton Formation of New Hampshire	1	188
16.	BRETT, C. E., *Paracolocrinus,* a new inadunate crinoid genus from the Rochester Shale (Silurian, Wenlockian) of New York	5	913
	BRIME, C., see ALVAREZ, F. (1)		
17.	BROADHEAD, T. W., and H. L. STRIMPLE, *Hyrtanecrinus,* a new Carboniferous camerate crinoid genus from eastern North America	1	35
18.	BROUWERS, E. M., and J. E. HAZEL, *Eucythere sohli,* a new name for *Eucythere alexanderi* Brouwers and Hazel, 1978 (paleontological note)	6	1352
	BRUNTON, C. H. C., see ALVAREZ, F. (1)		
19.	BUDAI, A., W. R. RIEDEL and M. J. WESTBERG, A general-purpose paleontologic information device (paleontological note)	1	259
20.	BURCKLE, L. H., J. R. DODD and R. J. STANTON, JR., Diatom biostratigraphy and its relationship to paleomagnetic stratigraphy and molluscan distribution in the Neogene Centerville Beach section, California	4	664
	CAMACHO, H. H., see ZINSMEISTER, W. J. (148)		
	CAMPBELL, G. T., see JOHNSON, M. E. (62)		
21.	CAREW, J. L., A new Pennsylvanian pseudozygopleurid gastropod from Texas	6	1209
22.	CARPENTER, K., and D. LINDSEY, The dentary of *Brachychampsa montana* Gilmore (Alligatorinae; Crocodylidae), a Late Cretaceous turtle-eating alligator	6	1213
	CARTER, J. G., see BOTTJER, D. J. (13)		
	CHAMBERLAIN, C. K., see HAHN, G. (47)		

23. COLBATH, G. K., and S. K. LARSON, On the chemical composition of fossil polychaete jaws (paleontological note) 2 485
24. COLLINSON, J. W., Solnhofen by K. Werner Barthel (review) 6 1358
COMEAU, D. J., see ERDTMANN, B. D. (33)
25. COULBOURN, W. T., Relationship between the distribution of foraminifera and geologic structures of the Arica Bight, South America 4 696
26. CRICK, R. E., Integration of paleobiogeography and paleogeography: evidence from Arenigian nautiloid biogeography 6 1218
27. CULVER, S. J., Foraminifera, Volume 3, edited by R. H. Hedley and C. G. Adams (review) 2 492
28. DALQUEST, W. W., Camelidae from the Coffee Ranch local fauna (Hemphillian age) of Texas 1 109
29. DARBY, D. G., and R. W. OJAKANGAS, Gastroliths from an Upper Cretaceous plesiosaur 3 548
DELACA, T. E., see ZUMWALT, G. S. (149)
DEVRIES, T. J., see ISAACSON, P. E. (59)
DODD, J. R., see BURCKLE, L. H. (20)
30. DZIEWA, T. J., Note on a dipnoan fish from the Triassic of Antarctica (paleontological note) 2 488
31. ELIAS, R. J., An Upper Ordovician eurypterid from Manitoba (paleontological note) .. 1 262
32. EMRY, R. J., Evolution of African Mammals (review) 1 267
33. ERDTMANN, B. D., and D. J. COMEAU, A new *Anisograptus* faunule from the Goodwin Formation (Tremadoc, Early Ordovician) of central Nevada and the Cambrian-Ordovician boundary 4 719
34. ETTENSOHN, F. R., *Paragassizocrinus*: systematics, phylogeny and ecology 5 978
EVANS, J. A., see SAVAGE, N. M. (111)
FAGERSTROM, J. A., see RATCLIFFE, B. C. (99)
35. FELDMANN, R. M., and M. MAXEY, *Raninella carlilensis*, a new raninid crab from the Carlile Shale (Turonian) of Kansas (paleontological note) 4 858
FELDMANN, R. M., see BEIKIRCH, D. W. (8)
36. FINNEY, S. C., Thamnograptid, dichograptid and abrograptid graptolites from the Middle Ordovician Athens Shale of Alabama 6 1184
FLOWER, R. H., see THOMPSON, E. H. (133)
37. FRACASSO, M. A., Age of the Permo-Carboniferous Cutler Formation vertebrate fauna from El Cobre Canyon, New Mexico 6 1237
38. FREDERIKSEN, N. O., Mid-Tertiary climate of southeastern United States: the sporomorph evidence 4 728
39. FRERICHS, W. E., Age of the western interior *Clioscaphites chouteauensis* zone 2 366
40. FREST, T. J., H. L. STRIMPLE and B. J. WITZKE, New Comarocystitida (Echinodermata: Paracrinoidea) from the Silurian of Iowa and Ordovician of Oklahoma 1 217
41. FREY, R. C., *Vanuxemia waynesvillensis*, a new species of cyrtodontid pelecypod from the Upper Ordovician of southwest Ohio 4 740
FUNAI, C. A., see SAVAGE, N. M. (112)
42. GIAMMONA, C. P., and R. J. STANTON, JR., Octocorals from the middle Eocene Stone City Formation, Texas 1 71
43. GILL, G. A., and A. RUSSO, Recognition of pennular structures typical of Mesozoic corals in *Discotrochus orbignyanus* from the Eocene of the Gulf states 5 1108
44. GINGERICH, P. D., *Tytthaena parrisi*, oldest known oxyaenid (Mammalia, Creodonta) from the late Paleocene of western North America 3 570
45. GNOLI, M., and E. SERPAGLI, The problematical microorganism *Nuia* in the Lower Ordovician of Precordilleran Argentina and its paleogeographic significance 6 1245
46. GRANT, R. E., The human face of the brachiopod 3 499
GUTSCHICK, R. C., see RODRIGUEZ, J. (104)
47. HAHN, G., R. A. PAULL and C. K. CHAMBERLAIN, First recognition and stratigraphic significance of the early Late Mississippian trilobite *Carbonocoryphe* (*Aprathia*) in North America 2 371
HAMAN, D., see KOHL, B. (69)
HANSEN, M. C., see BERGSTRÖM, S. M. (10)
HARLAND, T. L., see OPALINSKI, P. R. (93)
HAZEL, J. E., see BROUWERS, E. M. (18)
48. HEATON, M. J., and R. R. REISZ, A skeletal reconstruction of the Early Permian captorhinid reptile *Eocaptorhinus laticeps* (Williston) 1 136

49. HELFRICH, C. T., Late Llandovery–early Wenlock conodonts from the upper part of the Rose Hill and the basal part of the Mifflintown Formations, Virginia, West Virginia, and Maryland 3 557
50. HERMAN, Y., *Globigerina cryophila,* a new name for *Globigerina occlusa* Herman, 1974 (taxonomic note) 3 631
51. HERMAN, Y., *Globigerina exumbilicata* Herman, 1974, a synonym of *G. quinqueloba egelida* Cifelli and Smith, 1970 (taxonomic note) 3 631
52. HICKMAN, C. S., A remarkable case of coaxial heterostrophy in an Eocene gastropod . 1 196
53. HICKMAN, C. S., Evolutionary Systematics of Bivalve Mollusks (review) 1 270
54. HOARE, R. D., New Pennsylvanian gastropods from Ohio 5 1035
55. HOARE, R. D., and M. T. Sturgeon, The Pennsylvanian pseudozygopleurid gastropod genus *Gamizyga* n. gen. from Ohio and West Virginia 1 159
HOARE, R. D., see KESLING, R. V. (67)
56. HORODYSKI, R. J., Middle Proterozoic shale-facies microbiota from the lower Belt Supergroup, Little Belt Mountains, Montana 4 649
57. HOTTON, N., III, The Order Microsauria, by Robert L. Carroll and Pamela Gaskill (review) 1 267
58. HUTSON, W. H., and W. L. PRELL, A paleoecological transfer function, FI-2, for Indian Ocean planktonic foraminifera 2 381
59. ISAACSON, P. E., and T. J. DEVRIES, Early Devonian *Salopina* (Brachiopoda, Orthida) from Maryland–West Virginia 6 1252
ISAACSON, P. E., see BOUCOT, A. J. (14)
60. JENNINGS, J. R., Fossil plants from the Fountain Formation (Pennsylvanian) of Colorado 1 149
61. JOHNSON, G. D., Xenacanthodii (Chondrichthyes) from the Tecovas Formation (Late Triassic) of West Texas 5 923
JOHNSON, J. G., see KLAPPER, G. (68)
62. JOHNSON, M. E., and G. T. CAMPBELL, Recurrent carbonate environments in the Lower Silurian of northern Michigan and their inter-regional correlation 5 1041
63. JONES, B., *Tannuspirifer dixoni*: a new species of Spinocyrtiidae from the Read Bay Formation of Somerset Island, Arctic Canada 4 745
64. JONES, B., and J. PACKARD, *Atrypoidea polaris*: a new atrypoid brachiopod species from Arctic Canada 3 577
65. JONES, B., and G. P. SMITH, Lower Devonian brachiopods from the Eids Formation, southwest Ellesmere Island, Arctic Canada 4 675
JONES, D. S., see THOMPSON, I. (134)
66. KANJILAL, S., and C. S. P. SINGH, *Indoculana,* a new name for *Reticulana* Kanjilal and Singh, 1973, *non* Bethune-Baker, 1906 (paleontological note) 2 490
67. KESLING, R. V., R. D. HOARE and D. K. SPARKS, Epizoans of the Middle Devonian brachiopod *Paraspirifer bownockeri*: their relationships to one another and to their host 6 1141
68. KLAPPER, G., and J. G. Johnson, Endemism and dispersal of Devonian conodonts .. 2 400
KOBLUK, D. R., see PEMBERTON, S. G. (95)
69. KOHL, D., and D. HAMAN, *Montfortella* (Foraminiferida) from the Pliocene of Mexico 2 456
70. KOHN, A. J., *Conus kahiko,* a new Pleistocene gastropod from Oahu, Hawaii 3 534
71. KORTH, W. W., *Paradjidaumo* (Eomyidae, Rodentia) from the Brule Formation, Nebraska 5 933
72. KRAUSE, D. W., Multituberculates from the Clarkforkian Land-Mammal Age, late Paleocene–early Eocene, of western North America 6 1163
73. KUES, B. S., A fossil crab from the Mancos Shale (Upper Cretaceous) of New Mexico (paleontological note) 4 862
74. KUES, B. S., T. LEHMAN and J. K. RIGBY, JR., The teeth of *Alamosaurus sanjuanensis,* a Late Cretaceous sauropod (paleontological note) 4 864
75. LANDING, E., Late Cambrian–Early Ordovician macrofaunas and phosphatic microfaunas, St. John Group, New Brunswick 4 752
LANGENHEIM, R. L., JR., see SCHEIHING, M. H. (115)
LARSON, S. K., see COLBATH, G. K. (23)
LAUBACHER, G., see BOUCOT, A. J. (14)
76. LEARY, R. L., *Labriscorpio alliedensis*: a new Carboniferous scorpion from Rock Island County, Illinois 6 1255
LEHMAN, T., see KUES, B. S. (74)

77. LENZ, A. C., A planktic problematicum from the Silurian of northern Yukon, Canada ... 3 584
LINDSEY, D., see CARPENTER, K. (22)
78. LOWNEY, K. A., A revision of the family Haplolepidae (Actinopterygii, Paleonisciformes) from Linton, Ohio (Westphalian D, Pennsylvanian) ... 5 942
79. LUND, R., Photomacrography of fossils for publication (paleontological note) ... 1 264
80. MACFADDEN, B. J., An early Miocene land mammal (Oreodonta) from a marine limestone in northern Florida ... 1 93
81. MACURDA, D. B., JR., Abnormalities of the Carboniferous blastoid *Pentremites* ... 6 1155
82. MADDEN, C. T., *Zygolophodon* from subsaharan Africa, with observations on the systematics of paleomastodontid proboscideans ... 1 57
83. MANGER, W. L., and W. B. SAUNDERS, Lower Pennsylvanian (Morrowan) ammonoids from the North American midcontinent (monograph) ... 3 II
MAXEY, M., see FELDMANN, R. M. (35)
84. MCDOUGALL, K., Paleoecological evaluation of late Eocene biostratigraphic zonations of the Pacific coast of North America (monograph) ... 4 II
85. MCKINNEY, F. K., The Devonian fenestrate bryozoan *Utropora* Počta ... 1 241
86. MCKINNEY, F. K., Erect spiral growth in some living and fossil bryozoans ... 3 597
MEDIOLI, F. S., SEE SCOTT, D. B. (119)
87. MERRILL, G. K., Removal of pyrite from microfossil samples by means of sodium hypochlorite (paleontological note) ... 3 633
88. MERRILL, G. K., and R. J. POWELL, Paleobiology of juvenile (nepionic?) conodonts from the Drum Limestone (Pennsylvanian, Missourian–Kansas City area) and its bearing on apparatus ontogeny ... 5 1058
89. MILLER, W. E., The late Pliocene Lus Tunas local fauna from southernmost Baja California, Mexico ... 4 762
90. MOLNAR, R. E., An albertosaur from the Hell Creek Formation of Montana ... 1 102
NELSON, P. C., see STANTON, R. J., JR. (125)
NEWMAN, W. A., see SCHRAM, F. R. (118)
91. NOVACEK, M. J., *Crypholestes*, a new name for the Early Tertiary insectivore (Mammalia) *Cryptolestes* Novacek, 1976 (taxonomic note) ... 5 1135
OJAKANGAS, R. W., see DARBY, D. G. (29)
92. OLIVER, W. A., JR., Leitfossilien No. 2; Rugose Korallen des Devon, by Rudolf Birenheide (review) ... 5 1137
93. OPALINSKI, P. R., and T. L. HARLAND, Macroborings of Middle Ordovician age from southern Norway (paleontological note) ... 6 1352
OSEN, B., see ROSS, J. R. P. (105)
94. OWEN, A. W., A new species of *Cryptolithus* (Trilobita) from the Late Ordovician of Norway ... 1 144
PACKARD, J., see JONES, B. (64)
PAULL, R. A., see HAHN, G. (47)
95. PEMBERTON, S. G., D. R. KOBLUK, R. K. YEO and M. J. RISK, The boring *Trypanites* at the Silurian-Devonian disconformity in southern Ontario ... 6 1258
96. PFEFFERKORN, H. W., and D. A. RESNIK, The occurrence of *Sphenopteris germanica* (pteridosperm, Autunian, Lower Permian) in North America ... 1 81
97. PHILLIP, G. M., The carpoid stele and the crinoid stem (paleontological note) ... 3 634
98. POAG, C. W., Foraminiferal Ecology and Paleoecology, by Jere H. Lipps, Wolfgang H. Berger, Martin A. Buzas, Robert G. Douglas and Charles A. Ross (review) ... 5 1136
POJETA, J., JR., see RUNNEGAR, B. (107)
POWELL, R. J., see MERRILL, G. K. (88)
PRELL, W. L., see HUTSON, W. H. (58)
99. RATCLIFFE, B. C., and J. A. FAGERSTROM, Invertebrate lebensspuren of Holocene floodplains: their morphology, origin and paleoecological significance ... 3 614
REISZ, R. R., see HEATON, M. J. (48)
100. RENSBERGER, J. M., A primitive promylagauline rodent from the Sharps Formation, South Dakota ... 6 1267
RESNIK, D. A., see PFEFFERKORN, H. W. (96)
101. RICHARDSON, E. S., JR., *Howellitubus* is not a worm tube (taxonomic note) ... 3 587
RIEDEL, W. R., see BUDAI, A. (19)
RIEDEL, W., see SANFILIPPO, A. (110)
102. RIGBY, J. K., The new Middle Cambrian sponge *Vauxia magna* from the Spence Shale of northern Utah and taxonomic position of the Vauxiidae ... 1 234

103. RIGBY, J. K., *Ichnospongia perplexa,* a new sponge from the Mississippian Chainman Shale near Eureka, Nevada 6 1278
RIGBY, J. K., JR., see KUES, B. S. (74)
RISK, M. J., see PEMBERTON, S. G. (95)
104. RODRIGUEZ, J., and R. C. GUTSCHICK, *Seminolithes*: the work of a barnacle, not a sponge (paleontological note) 6 1356
105. ROSS, J. R. P., and B. OSEN, Istoriya Razvitiya, Sistema i Filogeniya Mshanok (Historical Development, Systematics and Phylogeny of Bryozoa), by G. G. Astrova (review) 2 491
106. ROTHWELL, G. W., A technique for revealing the surface features of permineralized "coal-ball" plants (paleontological note) 5 1131
ROTHWELL, G. W., see STUBBLEFIELD, S. P. (128)
RUMBLE, D., III, see BOUCOT, A. J. (15)
107. RUNNEGAR, B., and J. POJETA, JR., The monoplacophoran mollusk *Yochelcionella* identified from the Lower Cambrian of Pennsylvania (paleontological note) 3 635
RUSSO, A., see GILL, G. A. (43)
108. SADA, K., Primitive Fusulinacea from the Nakamura Limestone in western Japan ... 1 65
109. SANDO, W. J., Supplement to checklist of North American Late Paleozoic coral species (Coelenterata, Anthozoa) (paleontological note) 3 632
110. SANFILIPPO, A., and W. RIEDEL, A revised generic and suprageneric classification of the artiscins (Radiolaria) 5 1008
SAUNDERS, W. B., see MANGER, W. L. (83)
SAVAGE, B. J., see SAVAGE, N. M. (113)
111. SAVAGE, N. M., and J. A. EVANS, Upper Triassic conodonts from northern Washington (paleontological note) 4 869
112. SAVAGE, N. M., and C. A. FUNAI, Devonian conodonts of probable early Frasnian age from the Coronados Islands of southeastern Alaska 4 806
113. SAVAGE, N. M., and B. J. SAVAGE, The occurrence of the Ordovician conodont *Periodon* in the Abbess Island Conglomerate, southeastern Alaska (paleontological note) .. 4 871
114. SCHATZINGER, R. A., New species of *Palaeoxantusia* (Reptilia: Sauria) from the Uintan (Eocene) of San Diego County, California 2 460
115. SCHEIHING, M. H., and R. L. LANGENHEIM, JR., Brachiopods of the suborder Strophomenidina from the Shumway cyclothem, Mattoon Formation, Virgilian of Illinois .. 5 1017
116. SCHRAM, F. R., *Pygocephalus* from the Upper Carboniferous of the Soviet Union ... 1 50
117. SCHRAM, F. R., Miscellaneous Late Paleozoic Malacostraca of the Soviet Union 3 542
118. SCHRAM, F. R., and W. A. NEWMAN, *Verruca withersi* n. sp. (Crustacea: Cirripedia) from the middle of the Cretaceous of Colombia 1 229
119. SCOTT, D. B., and F. S. MEDIOLI, Living vs. total foraminiferal populations: their relative usefulness in paleoecology 4 814
120. SCOTT, E. B., *Jungermannites noterocladioides* n. sp. (Hepaticae) from the Potomac Group (Lower Cretaceous) of Maryland, U. S. A. (paleontological note) 5 1119
SERPAGLI, E., see GNOLI, M. (45)
121. SHOURD, M. L., and H. F. WINTER, Paleocene megafossils from southeastern Missouri 4 832
SINGH, C. S. P., see KANJILAL, S. (66)
SMITH, G. P., see JONES, B. (65)
122. SMITH, P. L., Determining the *in situ* orientation of fossil bilateral symmetry planes during paleocurrent analysis (paleontological note) 5 1121
SPARKS, D. K., see KESLING, R. V. (67)
123. SQUIRES, R. L., A new species of brachyuran from the Paleocene of California 2 472
124. STAIT, B., *Gouldoceras* n. gen. (Cephalopoda, Nautiloidea) and a revision of *Hecatoceras,* Teichert and Glenister, from the Ordovician of Tasmania, Australia 5 1113
125. STANTON, R. J., JR., and P. C. NELSON, Reconstruction of the trophic web in paleontology: community structure in the Stone City Formation (Middle Eocene, Texas) .. 1 118
STANTON, R. J., JR., see BURCKLE, L. H. (20)
STANTON, R. J., JR., see GIAMMONA, C. P. (42)
126. STEARN, C. W., Classification of the Paleozoic stromatoporoids 5 881
127. STINCHCOMB, B. L., New information on Late Cambrian Monoplacophora *Hypseloconus* and *Shelbyoceras* (Mollusca) 1 45
STRIMPLE, H. L., see BROADHEAD, T. W. (17)
STRIMPLE, H. L., see FREST, T. J. (40)

128. STUBBLEFIELD, S. P., and G. W. ROTHWELL, *Conostoma chappellicum* n. sp., lagenostomalean ovules from Kentucky 5 1012
STURGEON, M. T., see HOARE, R. D. (55)
129. SUES, H.-D., A pachycephalosaurid dinosaur from the Upper Cretaceous of Madagascar and its paleobiogeographical implications 5 954
130. SUNDBERG, F. A., Late Cretaceous paleoecology of the Holz Shale, Orange County, California 4 840
131. TEETER, J. W., *Parakrithella peterseni* nom. nov., revision of an ostracode species name (taxonomic note) 3 547
132. TEICHERT, C., *Shelbyoceras*: a correction (taxonomic note) 3 569
TELLER-MARSHALL, S., see BARDACK, D. (4)
133. THOMPSON, E. H., E. L. YOCHELSON and R. H. FLOWER, Aptychi from the Pennsylvanian of West Texas 5 903
134. THOMPSON, I., and D. S. JONES, A possible onychophoran from the Middle Pennsylvanian Mazon Creek beds of northern Illinois 3 588
135. TYNAN, M. C., Conodont biostratigraphy of the Mississippian Chainman Formation, western Millard County, Utah 6 1282
136. VALENTINE, J. W., Camalú: a Pleistocene terrace fauna from Baja California 6 1310
137. VAN DEN BOLD, W. A., Homonymy of *Cytherella ovalis* (Ostracoda, Platycopida) (paleontological note) 5 1124
138. VAN VALEN, L., *Ankalagon*, new name (Mammalia: Condylartha) (taxonomic note) ... 1 266
139. WALL, W. P., Cranial evidence for a proboscis in *Cadurcodon* and a review of snout structure in the family Amynodontidae (Perissodactyla, Rhinocerotoidea) 5 968
140. WEST, R. M., Middle Eocene large mammal assemblage with Tethyan affinities, Ganda Kas region, Pakistan 3 508
WESTBERG, M. J., see BUDAI, A. (19)
141. WHITTINGTON, H. B., Mazon Creek Fossils, edited by Matthew H. Nitecki (review) .. 5 1138
142. WILLINK, R. J., A new coiled-stemmed camerate crinoid from the Permian of eastern Australia 1 15
143. WILSON, E. C., Redescription of type specimens of the Permian rugose coral *Waagenophyllum columbicum* Smith 1935, type species of *Heritschioides* Yabe, 1950 ..... 1 85
WINTER, H. F., see SHOURD, M. L. (121)
WITZKE, B. J., see FREST, T. J. (40)
144. WOODBURNE, M. O., and R. L. BERNOR, On superspecific groups of some Old World hipparionine horses 6 1319
145. WRIGHT, A. J., Occurrence of the Devonian tetracoral *Grypophyllum mackenziense* in Nevada 5 963
146. YAMAGUCHI, T., A new species belonging to the *Balanus amphitrite* Darwin group (Cirripedia, Balanomorpha) from the late Pleistocene of Japan: an example of peripheral speciation 5 1084
YEO, R. K., see PEMBERTON, S. G. (95)
YOCHELSON, E. L., see THOMPSON, E. H. (133)
147. ZINSMEISTER, W. J., Observations on the predation of the clypeastroid echinoid, *Monophoraster darwini*, from the upper Miocene Entrerrios Formation, Patagonia, Argentina 5 910
148. ZINSMEISTER, W. J., and H. H. CAMACHO, Late Eocene Struthiolariidae (Mollusca: Gastropoda) from Seymour Island, Antarctic Peninsula and their significance to the biogeography of Early Tertiary shallow-water faunas of the southern hemisphere 1 1
149. ZUMWALT, G. S., and T. E. DELACA, Utilization of brachiopod feeding currents by epizoic foraminifera 2 477

SUBJECT INDEX

Abnormalities: Blastoidea, Carboniferous (81)
Acropora cervicornis: branching morphology (12)
Aelurodon: generic status (7)
Africa: Proboscidea, Miocene (82)
Alabama: graptolites, Ordovician (36)
Alamosaurus sanjuanensis: Sauropoda, Cretaceous (74)
Alaska: conodonts, Devonian (112); Ordovician (113)
Albertosaurus: Theropoda, Cretaceous (90)
Alligatorinae: Cretaceous (22)
Ammonoidea: Pennsylvanian, North America (83)
Ammospermophilus jeffriesi: new species, Rodentia (89)
Amynodontidae: snout structure (139)
Anisograptus: Ordovician, Nevada (33)
Ankalagon: new name, Condylartha (138)
Anozyga bulla: new genus and new species, Gastropoda (54)
Antarctica: Dipnoi, Triassic (30); Gastropoda, Eocene (148)
Anthozoa: Mississippian, Pennsylvanian, Permian, North America (109)
Aptychi: Pennsylvanian, West Texas (133)
Arctic: Foraminiferida, Pleistocene (50), (51)
Arctic Canada: Brachiopoda, Silurian (63), (64), (65)
Argentina: Echinoidea, Miocene (147); Problematica, Ordovician (45)
Arizona: Serpulidae, Devonian (11)
Arkanites relictus redivivus: new subspecies, Ammonoidea (83)
Athyrhynchus loriei: new species, Brachiopoda (65)
Athyrididae: authorship of family (1)
Atrypoidea polaris: new species, Brachiopoda (64)
Australia: Brachiopoda, Permian (2); Crinoidea, Permian (142)
Balanus amaraquaticus: new species, Cirripedia (146)
Bilinguites eliasi: new species, Ammonoidea (83)
Biostratigraphy: conodonts, Mississippian (135); Cretaceous, western interior (39); diatoms, Neogene (20); Foraminiferida, Eocene (9), (84)
Bivalvia: Jurassic, India (66); Ordovician, Ohio (41)
Blastoidea: abnormalities, Carboniferous (81)
Borings: *Trypanites*, Silurian, Devonian (95)
Brachiopoda: authorship of Athyrididae (1); authorship of genera (46); Devonian, Maryland, West Virginia (59); Devonian, New Hampshire (15); Permian, Australia (2); Silurian, Arctic Canada (63), (64), (65); Strophomenidina, Pennsylvanian (115); utilization of feeding currents (149)
Brachychampsa montana: dentary (22)
Brachyura: Paleocene, California (123)
Bryozoa: morphology (86); *Utropora*, Devonian, Czechoslovakia (85)
Cadurcodon: evidence for proboscis (139)
California: Brachyura, Paleocene (123); Neogene diatom biostratigraphy (20); paleoecology, Cretaceous (130); Reptilia, Eocene (114)
Cambrian: macrofaunas, phosphatic microfaunas, New Brunswick (75); Mollusca, (132); Monoplacophora, Missouri (127), Pennsylvania (107); Porifera, Utah (102)
Cambro-Ordovician boundary: (33)
Camelidae: Pliocene, Texas (28)
Cancelloceras huntsvillense: new species, Ammonoidea (83)
Carboniferous: Blastoidea, abnormalities (81); Crinoidea, eastern North America (17); Malacostraca, Soviet Union (116); scorpion, Illinois (76)
Carbonocoryphe (*Aprathia*) *idahoensis*: new species, trilobite (47)
Carnivora: generic status of *Aelurodon* and *Epicyon* (7)
Carpoidea: morphology (97)
Chondrichthyes: Triassic, West Texas (61)
Cirripedia: Cretaceous, Colombia (118); Pleistocene, Japan (146)
Climate: Mid-Tertiary, southeastern United States (38)
Clioscaphites choteauensis Zone: Cretaceous, western interior (39)
Coccolithophorida: Cretaceous, Texas (5)
Colorado: plants, Pennsylvanian (60)

Colombia: Cirripedia, Cretaceous (118)
Communities: Crinoidea, Mississippian (3); molluscan, Cretaceous (130); Silurian, Michigan (62)
Community structure: Eocene, Texas (125)
Condylartha: *Ankalagon,* Paleocene (138)
Conodonts: biostratigraphy, Mississippian (135); Devonian, Alaska (112), Iowa (10); endemism and dispersal (68); ontogeny, Pennsylvanian (88); *Periodon,* Ordovician (113); Silurian (49); Triassic (111)
Conostoma chappellicum: new species, Lagenostomales (128)
Conus kahiko: new species, Gastropoda (70)
Creodonta: Miocene, Pakistan (6); Paleocene, western North America (44)
Cretaceous: *Alamosaurus sanjuanensis,* Sauropoda, New Mexico (74); albertosaur, Theropoda, Montana (90); alligator (22); biostratigraphy, western interior (39); Cirripedia, Colombia (118); coccoliths, Texas (5); Decapoda, Kansas (35), New Mexico (73), Texas (8); dinosaur, Madagascar (129); Hepaticae, Maryland (120); Ostracoda, Maryland (18); paleoecology, California (130); plesiosaur gastroliths (29); teleost (4)
Crinoidea: Carboniferous, eastern North America (17); Mississippian communities (3); morphology (97); Pennsylvanian (34); Permian, Australia (142); Silurian, New York (16)
Crucimys: new genus, Rodentia (100)
Crypholestes: new name, Insectivora (91)
Cryptolithus stoermeri: new species, trilobite (94)
Cyclocorystes aldersoni: new species, Brachyura (123)
Cyclostremella (?) *chimaera*: new species, Gastropoda (52)
Cytherella ovalis: Ostracoda, homonymy (137)
Czechoslovakia: *Utropora,* Bryozoa, Devonian (85)
Decapoda: Cretaceous, Kansas (35), New Mexico (73), Texas (8)
Devonian: borings, Ontario (95); Brachiopoda, Maryland, West Virginia (59), New Hampshire (15); Bryozoa, Czechoslovakia (85); conodonts, Alaska (112), endemism and dispersal (68), Iowa (10); epizoans on *Paraspirifer* (67); Peru (14); Rugosa, Nevada (145); Serpulidae, Arizona (11)
Diartus: new genus, Radiolaria (110)
Diatoms: Neogene biostratigraphy, California (20)
Dinosaur: Cretaceous, Madagascar (129)
Diplostromatidae: new family Stromatoporoidea (126)
Dipnoi: Triassic, Antarctica (30)
Dispersal: conodonts, Devonian (68)
Distomodus nodosus: new species, conodont (49)
Eastern Americas Realm: Devonian fauna, Peru (14)
Ecclimadictyidae: new family, Stromatoporoidea (126)
Echinoidea: Miocene, Argentina (147)
"*Elictognathus*" *acuminatus*: stratigraphic origin (10)
Ellipsagelosphaera bornholmensis: new combination, coccolith (5)
Endemism: conodonts, Devonian (68)
Environments: recurrent carbonate, Silurian, Michigan (62)
Eocaptorhinus laticeps: Permian (48)
Eocene: community structure, Texas (125); Foraminiferal biostratigraphy (9), biostratigraphy and paleoecology (84); Gastropoda, Antarctica (148), Washington (52); Mammalia, Pakistan (140); Multituberculata, North America (72); octocorals, Texas (42); Reptilia, California (114); Scleractinia, Gulf states (43)
Epicyon: generic status (7)
Epizoans: on *Paraspirifer,* Devonian (67)
Eucythere sohli: new species name, Ostracoda (18)
Eurypterid: Ordovician, Manitoba (31)
Falites pateli: new species, Phosphatocopina (75)
Florida: Oreodonta, Miocene (80)
Foraminiferida: distribution, Holocene, South America (25); Eocene biostratigraphy (9); Fusulinacea, Pennsylvanian, Permian, Japan (108); Indian Ocean (58); paleoecology, biostratigraphy, Eocene, North America (84); Pleistocene, Arctic (50), (51); Pliocene, Mexico (69); populations, paleoecology (119); utilization of brachiopod feeding currents (149)
Functional morphology: Bivalvia (13)
Fusulinacea: Pennsylvanian, Permian, Japan (108)
Gamizyga ? (*Gamizyga*) *attenuata*: new species, Gastropoda (55)
Gamizyga (*Gamizyga*) *expansa*: new species, Gastropoda (55)
Gamizyga (*Gamizyga*) *girtyi*: new genus, new subgenus, and new species, Gastropoda (55)
Gamizyga (*Gamizyga*) *morningstarae*: new species, Gastropoda (55)

Gamizyga (Gamizyga) nitida: new species, Gastropoda (55)
Gamizyga (Hyphantozyga) fenestrata: new species, Gastropoda (55)
Gamizyga (Hyphantozyga) fusiforma: new species, Gastropoda (55)
Gamizyga (Hyphantozyga) grandis: new species, Gastropoda (55)
Gamizyga (Hyphantozyga) knighti: new species, Gastropoda (55)
Gamizyga (Hyphantozyga) perattenuata: new species, Gastropoda (55)
Gamizyga (Hyphantozyga) pulchra: new species, Gastropoda (55)
Gamizyga (Hyphantozyga) textilis: new species, Gastropoda (55)
Gamizyga (Plocezyga) acuminata: new species, Gastropoda (55)
Gamizyga (Plocezyga) conica: new species, Gastropoda (55)
Gamizyga (Plocezyga) cordiformis: new species, Gastropoda (55)
Gamizyga (Plocezyga) delicata: new species, Gastropoda (55)
Gamizyga (Plocezyga) excellens: new species, Gastropoda (55)
Gamizyga (Plocezyga) intermedia: new species, Gastropoda (55)
Gamizyga (Plocezyga) lineata: new species, Gastropoda (55)
Gamizyga (Plocezyga) lirata: new species, Gastropoda (55)
Gamizyga (Plocezyga) markae: new species, Gastropoda (55)
Gamizyga (Plocezyga) obscura: new species, Gastropoda (55)
Gamizyga (Plocezyga) ornatissima: new species, Gastropoda (55)
Gamizyga (Plocezyga) percostata subrotunda: new subspecies, Gastropoda (55)
Gamizyga (Plocezyga) perminuta: new species, Gastropoda (55)
Gamizyga (Plocezyga) regularia: new species, Gastropoda (55)
Gamizyga (Plocezyga) subnodosa: new species, Gastropoda (55)
Gamizyga (Plocezyga) subquadrata: new species, Gastropoda (55)
Gamizyga (Plocezyga) turbinata: new species, Gastropoda (55)
Gastropoda: Eocene, Antarctica (148), Washington (52); Pennsylvanian, Ohio (54), Ohio and West Virginia (55), Texas (21); Pleistocene, Hawaii (70)
Gastroliths: plesiosaur, Cretaceous (29)
Globigerina cryophila: new name, Foraminiferida (50)
Globigerina exumbilicata: junior synonym (51)
Gorgonoid banmiti: new genus and new species, Octocorallia (42)
Gouldoceras synchonena: new genus and new species, Nautiloidea (124)
Graptolithina: Ordovician, Alabama (36), Nevada (33)
Grypophyllum mackenziense: occurrence in Nevada (145)
Gulf states: Scleractinia, Eocene (43)
Haplolepidae: revision of family (78)
Hawaii: Gastropoda, Pleistocene (70)
Helenodora inopinata: new genus and new species, possibly Onychophora (134)
Hepaticae: Cretaceous, Maryland (120)
Heritschioides: redescription of type species (143)
Heterostrophy: Gastropoda, Eocene (52)
Hipparionine horses: superspecific groups (144)
Holocene: Foraminiferida, South America (25); Ostracoda, Belize (131); trace fossils (99)
Howellitubus: Pennsylvanian, Illinois (101)
Hypseloconus: Monoplacophora, Cambrian (127)
Hyrtanecrinus diabolus: new genus and new species, Crinoidea (17)
Hyrtanecrinus inflatus: new species, Crinoidea (17)
Ichnospongia perplexa: new genus and new species, Porifera (103)
Illinois: *Howellitubus*, Pennsylvanian (101); Onychophora, Pennsylvanian (134); scorpion, Carboniferous (76); Strophomenidina, Pennsylvanian (115)
India: Bivalvia, Jurassic (66)
Indoculana: new name, Bivalvia (66)
Information device: (19)
Insectivora: *Crypholestes*, new name (91)
Iowa: conodonts, Devonian (10); Paracrinoidea, Silurian (40)
Israel: foraminiferal biostratigraphy, Eocene (9)
Japan: Cirripedia, Pleistocene (146); Fusulinacea, Pennsylvanian, Permian (108)
Jungermannites noterocladioides: new species, Hepaticae (120)
Jurassic: Bivalvia, India (66)
Kansas: Decapoda, Cretaceous (35)
Kentucky: Lagenostomales, Pennsylvanian (128)
Labriscorpio alliedensis: new genus and new species, scorpion (76)

Lagenostomales: Pennsylvanian, Kentucky (128)
Lophiostromatida: new order, Stromatoporoidea (126)
Macroborings: Ordovician, Norway (93)
Macrofaunas: Cambrian, Ordovician, New Brunswick (75)
Madagascar: dinosaur, Cretaceous (129)
Malacostraca: Carboniferous, Soviet Union (116); Paleozoic, Soviet Union (117)
Mammalia: Eocene, Pakistan (140)
Manitoba: eurypterid, Ordovician (31)
Maryland: Brachiopoda, Devonian (59); Hepaticae, Cretaceous (120); Ostracoda, Cretaceous (18)
Megafossils: Paleocene, Missouri (121)
Mexico: Foraminiferida, Pliocene (69); Mollusca, Pleistocene (136); Vertebrata, Pliocene (89)
Michigan: recurrent carbonate environments, Silurian (62)
Microbiota: Precambrian, Montana (56)
Microcosmodon rosei: new species, Multituberculata (72)
Microfaunas: phosphatic, Cambrian, Ordovician, New Brunswick (75)
Mingenewia anomala: new genus and new species, Brachiopoda (2)
Miocene: Creodonta, Pakistan (6); Echinoidea, Argentina (147); hipparionine horses, Old World (144); Oreodonta, Florida (80); Proboscidea, Africa (82)
Missouri: conodonts, Pennsylvanian (88); megafossils, Paleocene (121); Monoplacophora, Cambrian (127)
Mississippian: Anthozoa, North America (109); conodont biostratigraphy, Utah (135); crinoid communities (3); Porifera, Nevada (103); *Seminolithes,* Ohio (104); trilobite, North America (47)
Mollusca: Cambrian (132); Pleistocene, Mexico (136)
Monophoraster darwini: predation on (147)
Monoplacophora: Cambrian, Missouri (127), Pennsylvania (107)
Montana: microbiota (56); Theropoda, Cretaceous (90)
Montfortella: Pliocene, Mexico (69)
Morphology: branching in *Acropora cervicornis* (12); Bryozoa (86); Carpoidea, Crinoidea (97)
Multituberculata: Paleocene, Eocene, North America (72)
Nautiloidea: Ordovician, Tasmania (124); paleogeography, Arenigian (26); Pennsylvanian aptychi, West Texas (133)
Nebraska: Rodentia, Eocene (71)
Neocamptocrinus? banksi: new species, Crinoidea (142)
Neocamptocrinus? bernacchiensis: new species, Crinoidea (142)
Neocamptocrinus bundanoonensis: new genus and new species, Crinoidea (142)
Neocamptocrinus? doreckae: new species, Crinoidea (142)
Neocamptocrinus? gremialis: new species, Crinoidea (142)
Neocamptocrinus millerensis: new species, Crinoidea (142)
Neocamptocrinus? sievertsae: new species, Crinoidea (142)
Neocamptocrinus wardenensis: new species, Crinoidea (142)
Neogene: diatom biostratigraphy, California (20)
Nevada: graptolites, Ordovician (33); Porifera, Mississippian (103); Rugosa, Devonian (145)
New Brunswick: macrofaunas, phosphatic microfaunas, Cambrian, Ordovician (75)
New Hampshire: Brachiopoda, Devonian (15)
New Mexico: Decapoda, Cretaceous (73); Sauropoda, Cretaceous (74); Vertebrata, Permo-Carboniferous (37)
New York: Crinoidea, Silurian (16)
North America: Ammonoidea, Pennsylvanian (83); Anthozoa, Mississippian, Pennsylvanian, Permian (109); Foraminiferida, paleoecology, biostratigraphy, Eocene (84); Multituberculata, Paleocene-Eocene (72); pteridosperms, Permian (96); teleosts, Cretaceous (4); trilobites, Mississippian (47)
Norway: macroborings, Ordovician (93); trilobites, Ordovician (94)
Notopoides? pflugervillensis: new species, Decapoda (8)
Nuia: Ordovician, Argentina (45)
Octocorallia: Eocene, Texas (42)
Ohio: Bivalvia, Ordovician (41); epizoans on *Paraspirifer,* Devonian (67); Gastropoda, Pennsylvanian (54), (55); Paleonisciformes, Pennsylvanian (78); *Seminolithes,* Mississippian (104)
Oklahoma: Paracrinoidea, Ordovician (40)
Oklahomacystis spissus: new species, Paracrinoidea (40)
Old World: hipparionine horses, Miocene (144)
Oligocene: Rodentia, Nebraska (71)
Ontario: borings, *Trypanites,* Silurian, Devonian (95)
Ontogeny: conodonts, Pennsylvanian (88)
Onychophora: Pennsylvanian, Illinois (134)

Ordovician: Bivalvia, Ohio (41); conodonts, Alaska (113); eurypterid, Manitoba (31); graptolites, Alabama (36), Nevada (33); macroborings, Norway (93); macrofaunas, phosphatic microfaunas, New Brunswick (75); Nautiloidea, Tasmania (124); nautiloid paleobiogeography (26); Paracrinoidea, Oklahoma (40); Problematica, Argentina (45); trilobites, Norway (94)
Oreodonta: Miocene, Florida (80)
Ostracoda: Cretaceous, Maryland (18); *Cytherella ovalis,* homonymy (137); Holocene, Belize (131)
Ovulocystites hopkintonensis: new genus and new species, Paracrinoidea (40)
Pachycephalosauridae: Cretaceous, Madagascar (129)
Pakistan: Creodonta, Miocene (6); mammals, Eocene (140)
Pakotitanops latidentatus: new genus and new species, Perissodactyla (140)
Palaeostylus? (Pseudozygopleura) belli: new species, Gastropoda (21)
Palaeoxantusia allisoni: new species, Reptilia (114)
Palaeoxantusia kyrentos: new species, Reptilia (114)
Paleobiogeography: Cretaceous (129); nautiloids, Ordovician (26)
Paleocene: Brachyura, California (123); Condylartha (138); Creodonta, western North America (44); megafossils, Missouri (121); Multituberculata, North America (72)
Paleoclimatology: Foraminiferida (58)
Paleoecology: Cretaceous, California (130); Foraminiferida, Eocene (84), populations (119); transfer function (58)
Paleonisciformes: Pennsylvanian, Ohio (78)
Paleozoic: Malacostraca, Soviet Union (117); Stromatoporoidea (126)
Paracolocrinus paradoxicus: new genus and new species, Crinoidea (16)
Paracrinoidea: Silurian, Iowa; Ordovician, Oklahoma (40)
Paradjidaumo validus: new species, Rodentia (71)
Paragassizocrinus platicrenatus: new species, Crinoidea (34)
Paragassizocrinus: systematics, phylogeny, ecology (34)
Parakrithella peterseni: new name, Ostracoda (131)
Parapholidostrophia sorensis: new species, Brachiopoda (65)
Parasolia actiniformis: new genus and new species, Problematica (77)
Pennsylvania: Monoplacophora, Cambrian (107)
Pennsylvanian: Ammonoidea, North America (83); Anthozoa, North America (109); Brachiopoda, Illinois (115); conodonts, Missouri (88); Crinoidea (34); Fusulinacea, Japan (108); Gastropoda, Ohio (54), Ohio and West Virginia (55), Texas (21); *Howellitubus,* Illinois (101); Lagenostomales, Kentucky (128); nautiloid aptychi, West Texas (133); Onychophora, Illinois (134); Paleonisciformes, Ohio (78); plants, Colorado (60)
Periodon: conodont, Ordovician, Alaska (113)
Periostracal structure: Bivalvia (13)
Permian: Anthozoa, North America (109); Brachiopoda, Australia (2); Crinoidea, Australia (142); Fusulinacea, Japan (108); pteridosperm, North America (96); Reptilia (48); Rugosa (143)
Permo-Carboniferous: Vertebrata, New Mexico (37)
Peru: Devonian faunule (14)
Phosphatocopina: Cambrian, New Brunswick (75)
Plants: Pennsylvanian, Colorado (60)
Pleistocene: Cirripedia, Japan (146); Foraminiferida, Arctic (50), (51); Gastropoda, Hawaii (70); Mollusca, Mexico (136)
Plesiosaurs: gastroliths, Cretaceous (29)
Pliauchenia hemphillensis: new species, Camelidae (28)
Pliocene: camel, Texas (28); Foraminiferida, Mexico (69); Vertebrata, Mexico (89)
Polychaete jaws: chemical composition (23)
Polygnathus aspelundi: new species, conodont (112)
Polygnathus bucareliensis: new species, conodont (112)
Polygnathus churkini: new species, conodont (112)
Polygnathus xylus pacificus: new subspecies, conodont (112)
Populations: Foraminiferida, paleoecology (119)
Porifera: Cambrian, Utah (102); Mississippian, Nevada (103)
Precambrian: microbiota, Montana (56)
Predation: on *Monophoraster darwini* (147)
Problematica: Ordovician, Argentina (45); Silurian, Yukon (77)
Proboscidea: Miocene, Africa (82)
Proboscis: *Cadurcodon,* Rhinocerotoidea (139)
Promylagaulinae: new subfamily, Rodentia (100)
Protocallianassa pleuralum: new species, Decapoda (8)

Protocetus attocki: new species, Cetacea (140)
Pteridosperm: Permian, North America (96)
Pygocephalus: Malacostraca, Carboniferous, Soviet Union (116)
Quinnites: new genus, Ammonoidea (83)
Radiolaria: revised classification (110)
Raninella carlilensis: new species, Decapoda (35)
Reptilia: Eocene, California (114); Permian (48)
Rodentia: Oligocene, Nebraska (71); Tertiary, South Dakota (100)
Rugosa: Devonian, Nevada (145); Permian (143)
Salopina: Devonian, Maryland, West Virginia (59)
Sauropoda: Cretaceous, New Mexico (74)
Schizophoria eidsensis: new species, Brachiopoda (65)
Scleractinia: branching in *Acropora cervicornis* (12); Eocene, Gulf states (43)
Scorpion: Carboniferous, Illinois (76)
Seminolithes: Mississippian, Ohio (104)
Serpula helica: new species Serpulidae (11)
Shelbyoceras: Mollusca, Cambrian (127), (132)
Silurian: boring, Ontario (95); Brachiopoda, Arctic Canada (63), (64), (65); conodonts (49); Crinoidea, New York (16); Paracrinoidea, Iowa (40); Problematica, Yukon (77); recurrent carbonate environments, Michigan (62)
Siphonophycus beltensis: new species, Cyanophyceae (56)
Siphonophycus crassiusculum: new species, Cyanophyceae (56)
South America: Foraminiferida, Holocene (25)
South Dakota: Rodentia, Tertiary (100)
Soviet Union: Malacostraca, Carboniferous (116), Paleozoic (117)
Sphenopteris germanica: pteridosperm, Permian, North America (96)
Spiromphalus pervius: new species, Gastropoda (54)
Sporomorphs: Mid-Tertiary, southeastern United States (38)
Stromatoporellida: new order Stromatoporoidea (126)
Stromatoporida: new order Stromatoporoidea (126)
Stromatoporoidea: Paleozoic, classification (126)
Strophodonta irwini: new species, Brachiopoda (65)
Strophomenidina: Brachiopoda, Pennsylvanian, Illinois (115)
Struthiolarella shackeltoni: new species, Gastropoda (148)
Struthiolarellinae: new subfamily, Gastropoda (148)
Sturgeonospira tortula: new genus and new species, Gastropoda (54)
Syringostromellidae: new family, Stromatoporoidea (126)
Tannuspirifer dixoni: new species, Brachiopoda (63)
Tasmania: Nautiloidea, Ordovician (124)
Techniques: "coal-ball" permineralized plants, revealing surface features (106); orientation, determining fossil bilateral symmetry planes (122); paleoecological transfer function (58); photomacrography of fossils (79); pyrite removal, microfossils (87)
Teleostei: Cretaceous (4)
Terrace fauna: Pleistocene, Mexico (136)
Tertiary: climate, southeastern United States (38); Insectivora (91); Rodentia, South Dakota (100)
Texas: Camelidae, Pliocene (28); Chondrichthyes, Triassic (61); coccoliths, Cretaceous (5); community structure, Eocene (125); Decapoda, Cretaceous (8); Gastropoda, Pennsylvanian (21); nautiloid aptychi, Pennsylvanian (133); Octocorallia, Eocene (42)
Theropoda: Cretaceous, Montana (90)
Trace fossils: Holocene (99)
Triassic: Chondrichthyes, West Texas (61); conodonts, Washington (111); Dipnoi, Antarctica (30)
Trilobita: Mississippian, North America (47); Ordovician, Norway (94)
Trypanites: borings, Silurian, Devonian, Ontario (95)
Tselfatia dalmatia: new species, teleost (4)
Tytthaena parrisi: new genus and new species, Creodonta (44)
Utah: conodont biostratigraphy, Mississippian (135); Porifera, Cambrian (102)
Utropora: Bryozoa, Devonian, Czechoslovakia (85)
Vanuxemia waynesvillensis: new species, Bivalvia (41)
Vauxia magna: new species, Porifera (102)
Verruca withersi: new species, Cirripedia (118)
Vertebrata: Permo-Carboniferous, New Mexico (37); Pliocene, Mexico (89)
Waagenophyllum columbicum: redescription (143)

Washington: conodonts, Triassic (111); Gastropoda, Eocene (52)
Western interior: Cretaceous biostratigraphy (39)
Western North America: Creodonta, Paleocene (44)
West Virginia: Brachiopoda, Devonian (59); Gastropoda, Pennsylvanian (55)
Xenacanthodii: Triassic, West Texas (61)
Yochelcionella americana: new species, Monoplacophora (107)
Yugoslavia: teleost, Cretaceous (4)
Yukon: Problematica, Silurian (77)
Zygolophodon: Proboscidea, Miocene, Africa (82)

Volume 54 of THE JOURNAL OF PALEONTOLOGY was mailed on the following dates:

No. 1—February 12, 1980

No. 2—March 6, 1980

No. 3—May 13, 1980

No. 4—July 29, 1980

No. 5—November 5, 1980

No. 6—November 25, 1980